

Corporate Partner

This certifies that

# Mr. NGUYEN THANH VIET

**K21 SAFETY JOINT STOCK COMPANY** 

Has successfully passed exams in accordance with requirements of Recommended Practice No. SNT-TC-1A, 2011 Edition of the American Society for Nondestructive Testing (ASNT) in the following discipline and level:

Method: LIQUID PENETRANT TESTING

Level: I

P TRUM

Issue Date: 14, November 2014

Expiry Date: 13, November 2019

EXAM	SCORE	WEIGHTED SCORE	RASSING MINIMUM
GENERAL (G)	77.50	1/3	TUONS NOTO DO
SPECIFIC (S)	80.00	1/3	70.00
PRACTICAL (P)	86.00	1/3	70.00
COMPOSITE SCORE	81.17	(G+S+P)/3	80.00

VISUAL ACUITY OK
COLOR VISION OK

FILE No. NDE/227-14

CERT. No. NDE/227-14/PT

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A, 2011 Edition

**Dao Duy Dung** 

ASNT NDT Level III - Cert No. 119197

Vu Tien Ha

Director, Center for Non-Destructive Evaluation



This certifies that



## Mr. NGUYEN THANH VIET

**K21 SAFETY JOINT STOCK COMPANY** 

Has successfully passed exams in accordance with requirements of Recommended Practice No. SNT-TC-1A, 2011 Edition of the American Society for Nondestructive Testing (ASNT) in the following discipline and level:

Method: MAGNETIC PARTICLE TESTING

Issue Date: 14, November 2014

Level: II

Expiry Date: 13, November 2019

EXAM	SCORE	WEIGHTED SCORE	PASSING MINIMUM
GENERAL (G)	75.00	1/3	CUONG NGUROO
SPECIFIC (S)	80.00	1/3	70.00
PRACTICAL (P)	85.00	1/3	70.00
COMPOSITE SCORE	80.00	(G+S+P)/3	80.00

VISUAL ACUITY OK
COLOR VISION OK

FILE No. NDE/227-14

CERT. No. | NDE/227-14/MT

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A, 2011 Edition

**Dao Duy Dung** 

ASNT NDT Level III - Cert No. 119197

Vu Tien Ha

Director, Center for Non-Destructive Evaluation



This certifies that



### Mr. NGUYEN THANH VIET

**K21 SAFETY JOINT STOCK COMPANY** 

Has successfully passed exams in accordance with requirements of Recommended Practice No. SNT-TC-1A, 2011 Edition of the American Society for Nondestructive Testing (ASNT) in the following discipline and level:

Method: ULTRASONIC TESTING

Issue Date: 29, December 2014

Level: II

Expiry Date: 28, December 2019 and GIÁ

EXAM	SCORE	WEIGHTED SCORE	PASSING WINIMUM
GENERAL (G)	80.00	1/3	CONG NEW TOPOS
SPECIFIC (S)	85.00	1/3	70.00
PRACTICAL (P)	78.00	1/3	70.00
COMPOSITE SCORE	81.00	(G+S+P)/3	80.00

VISUAL ACUITY OK
COLOR VISION OK

FILE No. NDE/227-14 CERT, No. NDE/227-14/UT

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A, 2011 Edition

DÁNH GIÁ

KHÔNG PHÁ HỦ

Dao Duy Dung

ASNT NDT Level III - Cert No. 119197

Vu Tien Ha

Director, Center for Non-Destructive Evaluation

Runk



Corporate Partner

This certifies that

# Mr. CAO TRONG DIEM

**K21 SAFETY JOINT STOCK COMPANY** 

Has successfully passed exams in accordance with requirements of Recommended Practice No. SNT-TC-1A, 2011 Edition of the American Society for Nondestructive Testing (ASNT) in the following discipline and level:

Method: MAGNETIC PARTICLE TESTING

Issue Date: 14, November 2014

Level: II

Expiry Date: 13, November 2019

EXAM	SCORE	WEIGHTED SCORE	PASSING MINH	MUM
GENERAL (G)	85.00	1/3	70 000	
SPECIFIC (S)	85.00	1/3	70.00	II
PRACTICAL (P)	85.00	1/3	70.00	
COMPOSITE SCORE	85.00	(G+S+P)/3	80.00	

VISUAL ACUITY OK
COLOR VISION OK

FILE No. NDE/226-14 CERT. No. NDE/226-14/MT

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A, 2011 Edition

Dao Duy Dung

ASNT NDT Level III - Cert No. 119197

Vu Tien Ha

Director, Center for Non-Destructive Evaluation

### **CERTIFICATE**

MANUFACTURER: KYUNG DO ENTERPRISE Co.,LTD.

Product : Handy Magna

Model : MP - A2L

Serial Number : MP 3436

** Power Supply		AC 220V / 50 Hz
Related Current		2.8 A
Lifting power		5.4 kg 이상
Magnetizing Current		AC only
Weight		2.3 kg
	illumination	4500 Lux
	Center pole Distance	145 mm
Available pole distance	Minimum pole Distance	75 mm
	Maximum pole Distance	210 mm

\*\* These products are those passed through strict quality control and inspection performed By Kyung Do Enterprise, CO.,Ltd., which provides a rapid processing service if any failure occurs in equipment.

Manufacturing year/month	Sale year/month	MANUFACTURING DEPT.  /MANAGER
Apr , 2014	Apr , 2014	Do-Young , Lim





